

STATE BUILDING CODE COUNCIL

May 2018 Log No. _____

1. State Building C	Code to be Amended:	
	onal Building Code	☐ International Mechanical Code
☐ ICC AN	SI A117.1 Accessibility Code	☐ International Fuel Gas Code
Internation	onal Existing Building Code	☐ NFPA 54 National Fuel Gas Code
Internation	onal Residential Code	
Internation	onal Fire Code	☐ Wildland Urban Interface Code
Uniform	Plumbing Code	For the Washington State Energy Code, please see specialized energy code forms
Section(s):	202	
Title: 202 D	efinitions;	
2. Proponent Nam	e (Specific local government, or	ganization or individual):
Proponent:	ESHB 1023	,
Title:	AN ACT Relating to allowing eight beds	g certain adult family homes to lincrease capacity to
Date:	Effective Date June 11, 2020	
3. Designated Con	tact Person:	
Name:	Richard Brown	
Title:	SBCC Managing Director	
Address:	1500 Jefferson Building, Olyn	mpia, WA 98501
Office Phon	e: (360) 407-9277	
Cell: ()		
E-Mail addı	ess: Richard.brown@des.wa.g	ov

4. Pro	striking through all dele continue the established amendment or more tha	nt. Reproduce the section to be amended by underlining all added language, eted language. Insert new sections in the appropriate place in the code in order to a numbering system of the code. If more than one section is proposed for an one page is needed for reproducing the affected section of the code additional (Examples on the SBCC website)
	Code(s) 2018 IBC	Section(s) 202 Definitions
	Amend section to read a	as follows:

SECTION 202—DEFINITIONS.

ADULT FAMILY HOME. A dwelling, licensed by Washington state, in which a person or persons provide personal care, special care, room and board to more than one but not more than six adults who are not related by blood or marriage to the person or persons providing the services.

EXCEPTION: An adult family home may provide services to up to eight adults upon approval from the department of social and health services.

5. Briefly explain your proposed amendment, including the purpose, benefits and problems addressed. Specifically note any impacts or benefits to business, and specify construction types, industries and services that would be affected. Finally, please note any potential impact on enforcement such as special reporting requirements or additional inspections required.

This code change proposal is in response to ESHB 1023 effective June 11, 2020. The bill mandates the proposed changes to the IBC regarding increasing bed capacity to eight. The changes expand the number of bed allowed if specific criteria is met from six to eight if specific licensing requirements are met.

6.	Specify what criteria this proposal meets. You may select more than one. The amendment is needed to address a critical life/safety need. The amendment clarifies the intent or application of the code. The amendment is needed to address a specific state policy or statute. The amendment is needed for consistency with state or federal regulations. The amendment is needed to address a unique character of the state. The amendment corrects errors and omissions.
7.	Is there an economic impact: ☐ Yes ☐ No Explain:
	The changes expand the number of beds allowed from six to eight if specific licensing requirements are met. This is intended to reduce operation costs per occupant.
	An economic analysis is not required per RCW 34.05.328(5)(b)(v) Rules the content of which is explicitly and specifically dictated by statute, including any rules of the department of revenue adopted under the authority of RCW 82.32.762(3)
	List any code enforcement time for additional plan review or inspections that your proposal will require in hours per permit application:
	This change will not significantly increase plan review or inspection time

Please send your completed proposal to: sbcc@des.wa.gov

All questions must be answered to be considered complete. Incomplete proposals will not be accepted.